ANNUAL WATER OUALITY REPORT

WATER TESTING PERFORMED IN 2018

Presented By



Our Mission Continues

We are once again pleased to present our annual between January 1 and December 31, 2018. Over the years, we have dedicated ourselves to producing drinking water that meets all state and federal standards. We continually strive to adopt new methods for delivering the best-quality drinking water to you. As new challenges to drinking water safety emerge, we remain vigilant in meeting the goals of source water protection, water conservation, and community education while continuing to serve the needs of all our water users.

Please remember that we are always available should you ever have any questions or concerns about your water.

Where Does My Water Come From?

The Council Bluffs Water Works' primary water source is the Missouri River and the Missouri River Alluvium.

Community Participation

We want our valued customers to be informed about your water utility. The Board of Water Works Trustees conduct the business of the Water Works during their regularly scheduled meetings. The meetings are normally held on the third Tuesday of the month, at 4:30 p.m., at the Water Works office, 2000 N. 25th Street.

Water Main Flushing

Distribution mains (pipes) convey water to homes, businesses, and hydrants in your neighborhood. The water entering distribution mains is of very high quality; however, water quality can deteriorate in areas of the distribution mains over time. Water main flushing is the process of cleaning the interior of water distribution mains by sending a rapid flow of water through the mains.

Flushing maintains water quality in several wavs. For example, flushing removes sediments

like iron and manganese. Although iron and manganese do not themselves pose health concerns, they can affect the taste, clarity, and color of the water. Additionally, sediments can shield microorganisms from the disinfecting power of chlorine, contributing to the growth of microorganisms within distribution mains. Flushing helps remove stale water and ensures the presence of fresh water with sufficient dissolved oxygen and disinfectant levels, and an acceptable taste and smell.

During flushing operations in your neighborhood, some short-term deterioration of water quality, though uncommon, is possible. You should avoid tap water for household uses at such times. If you do use the tap, allow your cold water to run for a few minutes at full velocity before use, and avoid using hot water, to prevent sediment accumulation in your hot water tank.

Please contact us if you have any questions or if you would like more information on our water main flushing schedule.

Important Health Information

....

Some people may be more vulnerable to contaminants in drinking water than the general population. Immunocompromised persons such as those with cancer undergoing chemotherapy, those who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants may be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. The U.S. EPA/CDC (Centers for Disease Control and Prevention) guidelines on appropriate means to lessen the risk of infection by *Cryptosporidium* and other microbial contaminants are available from the Safe Drinking Water Hotline at (800) 426-4791 or http://water.epa.gov/drink/hotline.



Substances That Could Be in Water

To ensure that tap water is safe to drink, the U.S. EPA prescribes regulations limiting the amount of certain contaminants in water provided by public water systems. U.S. Food and Drug Administration regulations establish limits for contaminants in bottled

-//

water that must provide the same protection for public health. Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of

these contaminants does not necessarily indicate that the water poses a health risk.

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals, in some cases, radioactive material, and substances resulting from the presence of animals or from human activity. Substances that may be present in source water include:

Microbial Contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, or wildlife;

Inorganic Contaminants, such as salts and metals, which can be naturally occurring or may result from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming;

Pesticides and Herbicides, which may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses;

Organic Chemical Contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production and may also come from gas stations, urban stormwater runoff, and septic systems;

Radioactive Contaminants, which can be naturally occurring or may be the result of oil and gas production and mining activities.

For more information about contaminants and potential health effects, call the U.S. EPA's Safe Drinking Water Hotline at (800) 426-4791.

Source Water Assessment

....

The City of Council Bluffs obtains its water from the Missouri River and the Missouri River Alluvium. Reservoirs and streams are highly susceptible to contamination because contaminants can move through them quickly. Council Bluffs' water supply will be susceptible

> to contaminant releases from landfills and livestock confinements. A portion of the Council Bluffs' water supply is obtained from an alluvial aquifer. The alluvial aquifer was determined to be highly susceptible to contamination

because the characteristics of the aquifer and overlying materials allow contaminants to move through the aquifer quickly. The City of Council Bluffs' wells will be most susceptible to activities such as dry cleaners, gas stations, industrial sites, and municipal wastewater discharges. A detailed evaluation of your source water was completed by the Iowa Department of Natural Resources, and is available from John Meads, Purification Manager, at (712) 328-1006, ext. 1020.

Testing for Cryptosporidium

Cyptosporidium is a microbial parasite found in surface water throughout the U.S. While monitoring of source water indicates the presence of these organisms, analyses of the treated or finished water have shown none. The Council Bluffs Water Works utilizes a multiplebarrier treatment process that effectively removes and inactivates *Cryptosporidium*. Symptoms of infection include nausea, diarrhea, and abdominal cramps. Most healthy individuals can overcome the disease within a few weeks. However, immunocompromised people are at greater risk of developing life-threatening illness. We encourage immunocompromised individuals to consult their doctors regarding appropriate precautions to take to avoid infection. *Cryptosporidium* must be ingested to cause disease, and it may be spread through means other than drinking water.



For more information about this report, or for any questions relating to your drinking water, please call John Meads, Purification Department Manager, at (712) 328-1006, ext. 1020.

We remain vigilant in delivering the best-quality drinking water

Lead in Home Plumbing

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. We are responsible for providing high-quality drinking water, but we cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline at (800) 426-4791 or at www.epa. gov/safewater/lead.

Tip Top Tap

The most common signs that your faucet or sink is affecting the quality of your drinking water are discolored water, sink or faucet stains, a buildup of particles, unusual odors or tastes, and a reduced flow of water. The solutions to these problems may be in your hands.

Kitchen Sink and Drain

Hand washing, soap scum buildup, and the handling of raw meats and vegetables can contaminate your sink. Clogged drains can lead to unclean sinks and backedup water in which bacteria (e.g., pink and black slime growth) can grow and contaminate the sink area and faucet, causing a rotten egg odor. Disinfect and clean the sink and drain area regularly. Also, flush regularly with hot water.

Faucets, Screens, and Aerators

Chemicals and bacteria can splash and accumulate on the faucet screen and aerator, which are located on the tip of faucets, and can collect particles like sediment and minerals, resulting in a decreased flow from the faucet. Clean and disinfect the aerators or screens on a regular basis.

Check with your plumber if you find particles in the faucet screen as they could be pieces of plastic from the hot water heater dip tube. Faucet gaskets can break down and cause black, oily slime. If you find this slime, replace the faucet gasket with a higher-quality product. White scaling or hard deposits on faucets and shower heads may be caused by hard water or water with high levels of calcium carbonate. Clean these fixtures with vinegar or use water softening to reduce the calcium carbonate levels for the hot water system.

Water Filtration and Treatment Devices

A smell of rotten eggs can be a sign of bacteria on the filters or in the treatment system. The system can also become clogged over time so regular filter replacement is important. (Remember to replace your refrigerator filter!)

Table Talk

Get the most out of the Testing Results data table with this simple suggestion. In less than a minute, you will know all there is to know about your water:

For each substance listed, compare the value in the Amount Detected column against the value in the MCL (or AL, SMCL) column. If the Amount Detected value is smaller, your water meets the health and safety standards set for the substance.

Other Table Information Worth Noting

Verify that there were no violations of the state and/or federal standards in the Violation column. If there was a violation, you will see a detailed description of the event in this report.

If there is an ND or a less-than symbol (<), that means that the substance was not detected (i.e., below the detectable limits of the testing equipment).

The Range column displays the lowest and highest sample readings. If there is an NA showing, that means

only a single sample was taken to test for the substance (assuming there is a reported value in the Amount Detected column).

If there is sufficient evidence to indicate from where the substance originates, it will be listed under Typical Source.



Test Results

SUBSTANCE

YEAR

AMOUNT

RANGE

Our water is monitored for many different kinds of substances on a very strict sampling schedule. And the water we deliver must meet specific health standards. Here, we show only those substances that were detected in our water. (A complete list of all our analytical results is available upon request.) Remember that detecting a substance does not mean the water is unsafe to drink; our goal is to keep all detects below their respective maximum allowed levels.

The state recommends monitoring for certain substances less often than once per year because the concentrations of these substances do not change frequently. In these cases, the most recent sample data are included, along with the year in which the sample was taken.

							Council Pluf	fa Matar Marke	Council Pluff	n Watar Warke					
					Council Bluffs Water Works TP01		Council Bluffs Water Works TP02								
SUBSTANCE (UNIT OF MEASURE)				YEAR MCL SAMPLED [MRDL]		MCLG [MRDLG]	AMOUNT DETECTED	RANGE LOW-HIGH	AMOUNT DETECTED	RANGE LOW-HIGH	VIOLATION	TYPICAL S	OURCE		
Alpha Emitters (pCi/L)			20	018	15	0	6.1	6.1–6.1	NA	NA	No	Erosion o	of natural deposits		
Barium (ppm)			20	015	2	2	NA	NA	0.06	0.06–0.06	No		e of drilling wastes; Discharge from metal ; Erosion of natural deposits		
Chlorine (ppm)			20	018	[4]		2.0	0.18-2.90	NA	NA	No	Water ad	ditive used to control microbes		
Chlorite (ppm)			20	017	1	0.8	0.21	0.00-0.21	NA	NA	No	By-produ	ict of drinking water disinfection		
Di(2-ethylhexyl) Phthalate (ppb)			20	018	6	0	3.9	3.9–3.9	NA	NA	No	Discharge from rubber and chemical factories			
Fluoride (ppm)			20	018	4	4	0.82	0.46–0.82	0.65	0.47–0.65	No	Erosion of natural deposits; Water additive that promotes strong teeth; Discharge from fertilizer and aluminum factories			
Haloacetic Acids [HAAs] (ppb)		20	018	60	NA	29.00	9.00-49.00	NA	NA	No	By-product of drinking water disinfection				
Nitrate (ppm)			20	018	10	10	2.9	1.1–2.9	NA	NA	No	Runoff from fertilizer use; Leaching from septic tanks sewage; Erosion of natural deposits			
TTHMs [Total Trihalomethanes] (ppb)		20	018	80	NA	60.00	24.00–90.00	NA	NA	No	By-produ	ict of drinking water disinfection			
Total Organic Carbon ¹ (removal ratio)		20	018	ΤT	NA	1.9	1.1–2.8	NA	NA	No	Naturally	present in the environment			
Turbidity ² (NTU)		20	018	TT		0.10	0.02-0.10	NA	NA	No	Soil runo	off			
Turbidity (Lowest monthly percent of samples meeting limit)		20		= 95% of samples meet the limit	NA	100	NA	NA	NA	No	Soil runo	ff			
Tap water samples v	were collected	l for leac	l and cop	per analyses i	from sample sites thro	oughout the c	ommunity.						¹ The value reported under Amount Detected fo		
SUBSTANCE (UNIT OF MEASURE)	YEAR SAMPLED	AL	MCLG	AMOUNT DETECTEI (90TH %IL	D AL/TOTAL	VIOLATION	TYPICAL S	DURCE					TOC is the lowest ratio between the percentage of TOC actually removed to the percentage of TOC required to be removed. A value of greater		
Copper (ppm)	2018	1.3	1.3	0.06	0/37	No	Corrosion of household plumbing systems; Erosion of natural deposits than 1 indicates that the water system is in								
Lead (ppb) 2018 15 0 1 0/37 No					Corrosion	of household p	lumbing syste	compliance with TOC removal requirements. A value of less than 1 indicates a violation of the							
UNREGULATE	D SUBSTA	NCES											TOC removal requirements.		
Council Bluffs Water Council Bluffs Water Works TP01 Works TP02									² Turbidity is a measure of the cloudiness of the water. It is monitored because it is a good indicator of the effectiveness of the filtration						

system.

(UNIT OF MEASURE)	SAMPLED	DETECTED	LOW-HIGH	DETECTED	LOW-HIGH	ITPICAL SOURCE
Sodium (ppm)	2018	48	48–48	44	44-44	Erosion of natural deposits; Added to water during treatment process

RANGE

AMOUNT

Definitions

90th %ile: The levels reported for lead and copper represent the 90th percentile of the total number of sites tested. The 90th percentile is equal to or greater than 90% of our lead and copper detections.

AL (Action Level): The concentration of a contaminant that, if exceeded, triggers treatment or other requirements that a water system must follow.

LRAA (Locational Running Annual Average): The average of sample analytical results for samples taken at a particular monitoring location during the previous four calendar quarters. Amount Detected values for TTHMs and HAAs are reported as the highest LRAAs. MCL (Maximum Contaminant Level): The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

MCLG (Maximum Contaminant

Level Goal): The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

MRDL (Maximum Residual Disinfectant Level): The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

MRDLG (Maximum Residual

Disinfectant Level Goal): The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

NA: Not applicable

NTU (Nephelometric Turbidity Units): Measurement of the clarity, or turbidity, of water. Turbidity in excess of 5 NTU is just noticeable to the average person.

pCi/L (picocuries per liter): A measure of radioactivity.

ppb (parts per billion): One part substance per billion parts water (or micrograms per liter).

ppm (parts per million): One part substance per million parts water (or milligrams per liter).

removal ratio: A ratio between the percentage of a substance actually removed to the percentage of the substance required to be removed.

TT (Treatment Technique): A required process intended to reduce the level of a contaminant in drinking water.